






12 11 10 9 8 7 6 5 4 3 2 1



DIMENSIONS:

CIRCUITS	DIM. A	DIM. B
2	2.50	5.50
3	5.00	8.00
4	7.50	10.50
5	10.00	13.00
6	12.50	15.50
7	15.00	18.00
8	17.50	20.50
9	20.00	23.00
10	22.50	25.50
11	25.00	28.00
12	27.50	30.50



ORDER INFORMATION: Δ

2550F XX 0 X (BLACK COLOR)
 2550F XX 0 X -X
 CIRCUITS NO. Δ COLOR NO.
 MATERIAL: S=NATURAL COLOR
 0=NY-66 94V-0 (WHITE)

SPECIFICATION:

- * MATERIAL : NYLON 66,94V-0
- * CIRCUITS : 2~12P
- * ACCEPT TERMINAL : 2550TF SERIES

ROHS Compliant

Customer Drawing

MATERIAL: NYLON 66 94 V-0
 FINISH(COLOR): SEE NOTES
 FILE NAME:

LANDWIN

聯盈電子股份有限公司
 LANDWIN ELECTRONIC CORP.

REV	REVISION RECORD	ECN NO.	DATE	SCALE	FREE	SHEET	1 OF 1
E	CHANGE DRAW NO.			TU091001	16/OCT/09	DRAWN BY: <i>g</i>	16/OCT/09
D	NEW TOOL	930604	08/OCT/04	APPROVED BY: <i>g</i>	16/OCT/09	DRAW NO.	
C	MARK CHANGE	900802	15/AUG/07	GENERAL TOLERANCE:	(AQ)	2550FXX0X-X	
B	ADD COLOR&TYPE	881211	2/DEC/09	ANGLE:	$\pm 3^\circ$		
A	NEW RELEASE		22/AUG/08	DIM:	± 0.5		
					± 0.25		
					± 0.12		
					± 0.08		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO LANDWIN ELECTRONIC CORP. SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.