



ESPECIFICAÇÃO TÉCNICA 3D-161205XX LC X SC

Cadastro do Produto:


Nome: CORDÃO ÓPTICO LC X SC (LSZH)

Código: 3D-161205XX


Marca: Seccon


Descrição: Cordão Óptico Duplex com conectores LC x SC e bitola de 2,0 MM.
Tratamento LSZH


- 3D-16120513 – Multi Modo (MM 50/125) 1,50 M na cor Amarela
- 3D-16120522 – Multi Modo (MM 50/125) 2,50 M na cor Amarela
- 3D-16120514 – Multi Modo (MM 62,5/125) 1,50 M na cor Laranja
- 3D-16120523 – Multi Modo (MM 62,5/125) 2,50 M na cor Laranja
- 3D-16120515 – Mono Modo (SM 9/125) 1,50 M na cor Azul
- 3D-16120524 – Mono Modo (SM 9/125) 2,50 M na cor Azul





Especificações:


CABLE TESTING RESULT				
Cable Type	3D-16120513 PATCH CORD DUPLEX LC X SC-UPC MM-50/125 LSZH YELLOW JACKET 2.0MM, 1.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.09 dB	0.13 dB	0.05 dB	0.05 dB
Return Loss	35.4 dB	35.2 dB	36.1 dB	36.8 dB

CABLE TESTING RESULT				
Cable Type	3D-16120522 PATCH CORD DUPLEX LC X SC-UPC MM-50/125 LSZH YELLOW JACKET 2.0MM, 2.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.17 dB	0.16 dB	0.09 dB	0.14 dB
Return Loss	35.9 dB	35.9 dB	35.5 dB	35.6 dB

CABLE TESTING RESULT				
Cable Type	3D-16120514 PATCH CORD DUPLEX LC X SC-UPC MM-62.5/125 LSZH ORANGE JACKET 2.0MM, 1.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.09 dB	0.16 dB	0.12 dB	0.11 dB
Return Loss	35.4 dB	35.7 dB	35.7 dB	35.5 dB

CABLE TESTING RESULT				
Cable Type	3D-16120523 PATCH CORD DUPLEX LC X SC-UPC MM-62.5/125 LSZH ORANGE JACKET 2.0MM, 2.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.06 dB	0.16 dB	0.14 dB	0.07 dB
Return Loss	36.2 dB	36.2 dB	36.2 dB	37.0 dB

CABLE TESTING RESULT				
Cable Type	3D-16120515 PATCH CORD DUPLEX LC X SC-UPC SM-9/125 LSZH BLUE JACKET 2.0MM, 1.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.06 dB	0.05 dB	0.16 dB	0.10 dB
Return Loss	55.0 dB	56.6 dB	56.5 dB	55.7 dB

CABLE TESTING RESULT				
Cable Type	3D-16120524 PATCH CORD DUPLEX LC X SC-UPC SM-9/125 LSZH BLUE JACKET 2.0MM, 2.5M			
	Cable A		Cable B	
	Connector 1	Connector 2	Connector 1	Connector 2
Insertion Loss	0.10 dB	0.13 dB	0.15 dB	0.17 dB
Return Loss	56.8 dB	56.1 dB	56.4 dB	55.3 dB

Imagens adicionais:



Seccon Ind. Com. Ltda.

Rua Dr. Nogueira Martins, 710 – Saúde – São Paulo – SP–Tel.: 11 – 5583.5583

Visite nosso website: www.seccon.com.br